## Focus Area 15: Injury and Violence Prevention

**Objective 15-29** targets an overall reduction in the drowning death rate to 0.9 per 100,000 population.

California's age-adjusted drowning death rates were 1.2 per 100,000 population in 2000 and 2001, 1.0 in 2002, and 1.1 in 2003 and 2004, with no significant change (Figure 15-29, Table 15-29). California's drowning death rates are higher than the HP2010 target of 0.9 per 100,000 population, and this objective has not yet been achieved.

Age-adjusted drowning death rates for males (1.6 per 100,000 in 2004) were significantly higher than those for females (0.5 per 100,000 in 2004), with no significant trend found between 2000-2004 for either gender. This HP2010 objective is being achieved for females, but not for males as of 2004.

Data by race and ethnicity show that the highest age-adjusted drowning death rates were found for Asians (1.2 per 100,000 in 2004) and Whites (1.2 per 100,000 in 2004), with no significant change. This objective is not being achieved for either of these racial populations as of 2004. This objective is, however, being achieved for Hispanics/Latinos (0.8 per 100,000 in 2004, with a statistically significant decline in rates since 2000) and for African Americans/Blacks (0.9 per 100,000 in 2004). Drowning death rates for the American Indian/Alaska Native, Pacific Islander, and the "Multirace" populations were unreliable due to the small number of events and are not reported here, with the exception of zero deaths reported for Pacific Islanders in 2001 and 2002.

For more information on drownings in California, visit the Chronic Disease and Injury Control (CDIC) Web site at:

http://www.dhs.ca.gov/ps/cdic/

And the Epidemiology and Prevention for Injury Control (EPIC) site at:

http://www.dhs.ca.gov/epic/

For more information on Healthy People 2010 objective 15-29, please visit:

http://www.healthypeople.gov/Document/HTML/Volume2/15Injury.htm

http://www.healthypeople.gov/Document/html/tracking/od15.htm




Table 15-29: Drowning Deaths and Death Rates California, 2000-2004

	2000		Lower	Upper	2001		Lower	Upper
Objective 15-29	N	Rate <sup>1</sup>	95% C.I.	95% C.I.	N	Rate <sup>1</sup>	95% C.I.	95% C.I.
Healthy People 2010 Target		0.9				0.9		
Statewide Total	394	1.2	1.0	1.3	420	1.2	1.1	1.3
Race-Ethnicity	•							
African American/Black	34	1.5	1.0	2.0	45	2.0	1.4	2.6
American Indian/Alaska Native	2	DSU			4	DSU		
Asian	51	1.4	1.0	1.8	46	1.2	0.9	1.6
Hispanic/Latino	118	1.0	0.8	1.1	119	0.9	0.7	1.0
Pacific Islander	3	DSU			0	0.0	0.0	0.0
White	182	1.2	1.0	1.3	201	1.3	1.1	1.4
Multirace	4	DSU			4	DSU		
Gender	1							
Female	108	0.6	0.5	0.8	100	0.6	0.5	0.7
Male	286	1.7	1.5	1.9	320	1.9	1.7	2.1

	2002		Lower	Upper	2003		Lower	Upper
Objective 15-29	N	Rate <sup>1</sup>	95% C.I.	95% C.I.	N	Rate <sup>1</sup>	95% C.I.	95% C.I.
Healthy People 2010 Target		0.9				0.9		
Statewide Total	368	1.0	0.9	1.2	374	1.1	1.0	1.2
Race-Ethnicity								
African American/Black	33	1.4	0.9	1.9	25	1.1	0.6	1.5
American Indian/Alaska Native	5	DSU			2	DSU		
Asian	45	1.2	0.8	1.5	46	1.2	0.8	1.5
Hispanic/Latino	106	0.8	0.6	1.0	109	0.8	0.6	1.0
Pacific Islander	0	0.0	0.0	0.0	1	DSU		
White	174	1.1	1.0	1.3	186	1.2	1.0	1.3
Multirace	5	DSU			4	DSU		
Gender								
Female	82	0.5	0.4	0.6	86	0.5	0.4	0.6
Male	286	1.6	1.4	1.8	288	1.6	1.4	1.8

	2004		Lower Upper		5-year	HP2010 Objective	
Objective 15-29	N	Rate <sup>1</sup>	95% C.I.	95% C.I.	Trend	Being Achieved?	
Healthy People 2010 Target		0.9					
Statewide Total	383	1.1	1.0	1.2	ns	No	
Race-Ethnicity							
African American/Black	24	0.9	0.6	1.3	ns	Yes	
American Indian/Alaska Native	2	DSU			n/a	Unk	
Asian	46	1.2	0.8	1.5	ns	No	
Hispanic/Latino	108	0.8	0.6	1.0	Sig	Yes	
Pacific Islander	1	DSU			n/a	Unk	
White	198	1.2	1.0	1.4	ns	No	
Multirace	3	DSU			n/a	Unk	
Gender							
Female	100	0.5	0.4	0.6	ns	Yes	
Male	283	1.6	1.4	1.8	ns	No	

SOURCES: CA Department of Health Services, Death Records, 2000-2004; CA Department of Finance, Demographic Research Unit, Population Projections by Race/Ethnicity for California and Its Counties 2000-2050, May 2004. NOTES: Drowning deaths defined by ICD-10 codes W65-W74, V92.

<sup>&</sup>lt;sup>1</sup> Rate per 100,000 population, age-adjusted using the 2000 US population standard.

Sig. - Statistically significant decrease in age-adjusted death rates from 2000 to 2004.

No significant trend as measured by linear regression analysis; n/a Not applicable (fewer than five data points)

DSU Data statistically unreliable (Relative Standard Error greater than 23 percent).